EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11897	(plurality or multiple or many) with (memory adj control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L2	487	L1 with (configure or configuration or initialize or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L3	137	(partial or portion) with (configuration or configure or initialize or initialization) with (memory adj control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L4	74	(partial or portion) with (configuration or configure or initialize or initialization) with (memory adj module)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L5	3056	(restart$3) with (configuration or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L6	29	L5 same (memory adj (control$3 or module))	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L7	105	(save or store or memorize) with (memory adj (control$3 or module)) with ((configuration or initialization or set or setting or state) adj data)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L8	530	(cascade or cascading or serial) with memory with (initialize or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L9	42	((multi adj stage) or multistage or ((two or multi or multiple) adj (tier)) or twotier or multitier) with memory with (initialize or initializatio or configure or configuration)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L10	112	stack with initialize with memory	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L11	96	((multiple or plurality or many) with (memory adj (module or control$3)) same (comfigure or initialize))	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L12	74	(incremental or partial or cascade) with (BIOS or POST) with memory	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21

L13	441	(main adj2 memory) with (initialize or configure)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L14	4	((multiple or many) adj2 (step or stage)) same (memory adj (configure or configuration or initialize or initialization))	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L15	240	(L2 L3 L4 L6 L7 L8 L9 L13 L11 L14 L10 L12) and @pd>="20061212"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21
L16	97	L15 and @pd>="20070615"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:29
L17	1262	(711/105).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/11/01 10:43
L18	135	((configuration near4 data) with (memory near4 module)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:01
L19	238	(initialize with (memory near4 (module or control or controller))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:12
L20	0	(Hewlett packard).as. and ("711" or "713").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:13
L21	0	(Hewlett adj2 packard).as. and ("711" or "713").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:14
L22	0	(Hewlett).as. and ("711" or "713").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:13
L23	0	(HP).as. and ("711" or "713").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:13

EAST Search History

L24	60349	(hewlett adj2 packard).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:14
L25	0	(Hewlett adj2 packard).as. and ("711".ccls. or "713".ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:15
L26	0	L24 and "711".ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:14
L27	1485	(Hewlett adj2 packard).as. and ("711".clas. or "713".clas.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:15
L28	971	L27 and (initialize or initialization or configure or configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:16
(L29)	382	L27 and (memory with (initialize or initialization or configure or configuration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/11/01 11:16
S1	1	("5423028").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/08 12:45
S2	2305	(713/1).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/08 12:46
S3	0	(713/1.ccls.) same (single with init$5 with control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/08 12:47
S4	0	(713/1.ccls.) same (single with control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/08 12:47
S5	3	("20050025140" | "6279046" | "6467007").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/08 15:06
S6	6	("4665501" | "5345583" | "6185696" | "6487464" | "6571333" | "6938164").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/08 15:07

S7	15	("4924169" | "5499384" | "5608884" | "5657445" | "5764999" | "5919264" | "5931951" | "5958058" | "5983353" | "6078290" | "6122748" | "6128747" | "6378056" | "6384777" | "6393573").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/08 15:23
S8	99	("5278969" "5253214" "5524235" "6233668" "4313160" "5393062" "5430861" "5642491" "5845292" "4267569" "4365315" "4422105" "5261276" "5455952" "5522045" "5553220" "5592625" "5666521" "5671420" "5689680" "5748912" "5900023" "5991853" "6003100" "6009540" "6128639" "4252328" "4270168" "4357022" RE31875 "4586905" "4819155" "4856001" "4863384" "4914587" "5010522" "5187783" "5197130" "5243603" "5255383" "5265210" "5274795" "5337258" "5347375" "5375196" "5471563" "5506953" "5522058" "5524220" "5561784" "5617424" "5617529" "5617578" "5630088" "5663901" "5666519" "5696975" "5726680" "5732266" "5835759" "5845273" "5887145" "5894509" "5920868" "5923736" "5958072" "5968155" "6011741" "6012135" "6030226" "6044133" "6075846" "6075345" "6108797" "6108724" "6160653" "6161148" "6181343" "6185704" "6195104" "6199147" "6205528" "6216200" "6216200" "6247112" "4253148" "4276600" "4281379" "4292669" "4308326" "4315315" "4354230" "4354263" "4357021" "4365297" "4366478" "4375083" "4393443" "4407508" "4412280").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/08 15:23
S9	10383	(plurality or multiple or many) with (memory adj control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:26
S10	418	S9 with (configure or configuration or initialize or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:26
S11	117	(partial or portion) with (configuration or configure or initialize or initialization) with (memory adj control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:27

S12	72	(partial or portion) with (configuration or configure or initialize or initialization) with (memory adj module)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:28
S13	2630	(restart$3) with (configuration or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:28
S14	26	S13 same (memory adj (control$3 or module))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:29
S15	1958	(save or store or memorize) with (memory adj (control$3 or module)) with (configuration or initialization or set or setting or state)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:31
S16	90	(save or store or memorize) with (memory adj (control$3 or module)) with ((configuration or initialization or set or setting or state) adj data)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:32
S17	4	("5790849" | "5809330" | "5850562" | "5915265").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:35
S18	12	("4654787" | "4713759" | "4980850" | "5097414" | "5241663" | "5339400" | "5448710" | "5469558" | "5511180" | "5553220" | "5584015" | "5687392").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/11 16:35
S19	466	(cascade or cascading or serial) with memory with (initialize or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 07:28
S20	8	(("5748877") or ("6108781") or ("5904733") or ("6401198") or ("5581736") or ("6401202") or ("6035420") or ("20020083369")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/12 07:28
S21	4	("5497490" | "5768568" | "6209089" | "6748524").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 07:48
S22	9	("4634110" | "4701845" | "4841437" | "5276864" | "5359547" | "5850562" | "6289472" | "6496945" | "6502190").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 07:50

EAST Search History

S23	12	("5555423" | "5574883" | "5574926" | "5592652" | "5802287" | "5918061" | "5929672" | "5987605" | "5999447" | "6092229" | "6438687" | "6718464").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 07:51
S24	8	("20020083369" | "5581736" | "5748877" | "5904733" | "6035420" | "6108781" | "6401198" | "6401202").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 07:53
S25	9	("4224506" | "4236207" | "4994934" | "5560023" | "5652861" | "5713006" | "5757365" | "6003121" | "6226729").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 07:54
S26	2	("4654787" | "6003121").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 08:03
S27	36	((multi adj stage) or multistage or ((two or multi or multiple) adj (tier)) or twotier or multitier) with memory with (initialize or initializatio or configure or configuration)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 08:05
S28	15	("4924169" | "5499384" | "5608884" | "5657445" | "5764999" | "5919264" | "5931951" | "5958058" | "5983353" | "6078290" | "6122748" | "6128747" | "6378056" | "6384777" | "6393573").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 11:04
S29	851	(711/170.ccls.) and (memory adj (control$3 or module))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 11:05
S30	312	(711/170.ccls.) and ((memory adj (control$3 or module)) same (configure or configuration or initialize or initialization))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/12 11:11
S31	101	stack with initialize with memory	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 07:32
S32	92	((multiple or plurality or many) with (memory adj (module or control$3)) same (comfigure or initialize))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 07:42
S33	65	(incremental or partial or cascade) with (BIOS or POST) with memory	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 07:45

EAST Search History

S34	390	(main adj2 memory) with (initialize or configure)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 07:45
S35	6	("20030233533" | "20040025145" | "20040103272" | "6212631" | "6704840" | "6972977").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 08:01
S36	17	("4403283" | "4860252" | "4926314" | "4958273" | "5289418" | "5386567" | "5459857" | "5535368" | "5581736" | "5608606" | "5664139" | "5764968" | "5802278" | "5951658" | "6205503" | "6336176" | "6421755").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 08:03
S37	11	("5845326" | "6006307" | "6088773" | "6115791" | "6230241" | "6381674" | "6546462" | "6601153" | "6658532" | "6681297" | "6760817").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 08:30
S38	3	((multiple or many) adj2 (step or stage)) same (memory adj (configure or configuration or initialize or initialization))	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/15 08:32
S39	2625	multiple with (memory adj controller)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 10:55
S40	1042	multiple near3 (memory adj controller)	US-PGPUB; USPAT; USOCR	OR	ON	2006/12/19 10:55
S41	2	(("4507730") or ("4016545")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/12/19 12:37
S42	11256	(plurality or multiple or many) with (memory adj control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S43	465	S42 with (configure or configuration or initialize or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S44	129	(partial or portion) with (configuration or configure or initialize or initialization) with (memory adj control$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S45	73	(partial or portion) with (configuration or configure or initialize or initialization) with (memory adj module)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14

EAST Search History

S46	2849	(restart$3) with (configuration or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S47	29	S46 same (memory adj (control$3 or module))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S48	100	(save or store or memorize) with (memory adj (control$3 or module)) with ((configuration or initialization or set or setting or state) adj data)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S49	507	(cascade or cascading or serial) with memory with (initialize or initialization)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S50	39	((multi adj stage) or multistage or ((two or multi or multiple) adj (tier)) or twotier or multitier) with memory with (initialize or initializatio or configure or configuration)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S51	106	stack with initialize with memory	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S52	96	((multiple or plurality or many) with (memory adj (module or control$3)) same (comfigure or initialize))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S53	70	(incremental or partial or cascade) with (BIOS or POST) with memory	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S54	414	(main adj2 memory) with (initialize or configure)	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S55	4	((multiple or many) adj2 (step or stage)) same (memory adj (configure or configuration or initialize or initialization))	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/15 08:14
S56	143	(S43 S44 S45 S47 S48 S49 S50 S54 S52 S55 S51 S53) and @pd>="20061212"	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 10:21